

Always make sure to follow these steps before you begin a treatment program:

1. Take bulk tank and mastitis cultures.
2. Select a therapy that gives coverage of present organisms and follow label directions.
3. Monitor your outcome.
4. Consult with your veterinary team throughout this process to help make informed decisions.

Intramammary Product Comparison

Brand Name	Active Ingredient	Drug Type	Use	Organism on Label	Milk Withholding Time (hours)	Meat Withholding Time (days)	Duration (doses)	Times Per Day
Amoxi-Mast	Amoxicillin Trihydrate	RX	Lactating	Strep. ag., penicillin-sensitive Staph. aureus	60	12	3	2X
Spectramast LC	Ceftiofur Hydrochloride	RX	Lactating	Coagulase-negative Staph., Strep. dysgalactiae, E.coli	72	2	2-8	1X
ToDAY	Cephapirin Sodium	OTC	Lactating	Strep. ag., Staph. aureus including penicillin-resistant strains	96	4	2	2X
Dariclox	Cloxacillin Sodium	RX	Lactating	Strep. ag., nonpenicillinase-producing Staph. aureus	48	10	3	2X
Hetacin-K	Hetacillin Potassium	RX	Lactating	Strep. ag, Strep. dysgalactiae, Staph. aureus, E. coli	72	10	3	1X
Pirsue	Pirlimycin Hydrochloride	RX	Lactating	Staph. sp. such as Staph. aureus, Strep. sp. such as Strep. ag., Strep.dysgalactiae, Strep. uberis	36	9 (see label)	2-8	1X
Spectramast DC	Ceftiofur Hydrochloride	RX	Dry	Staph. aureus, Strep. dysgalactiae, Strep. uberis	None; Do not administer within 30 days before calving	16	NA	NA
ToMORROW	Cephapirin Benzathine	OTC	Dry	Strep. ag., Staph. aureus including penicillin-resistant strains	72; Do not administer within 30 days before calving	42	NA	NA
Dry-Clox	Cloxacillin Benzathine	RX	Dry	Strep. ag., Staph. aureus including penicillin-resistant strains	None; Do not administer within 30 days before calving	30	NA	NA
Orbenin-DC	Cloxacillin Benzathine	RX	Dry	Strep. ag., Staph. aureus including penicillin-resistant strains	None; Do not administer within 28 days before calving	28	NA	NA
Quartermaster	Penicillin G (Procaine)/ Dihydrostreptomycin	Rx	Dry	Staph. aureus	96 (post calving); Do not administer within 42 days before calving	60	NA	NA
Albadry Plus	Penicillin G (Procaine)/ Novobiocin Sodium	OTC (see label)	Dry	Staph. aureus, Strep. ag.	72 (post calving); Do not administer within 30 days before calving	30	NA	NA
go-dry	Penicillin G (Procaine)	OTC (see label)	Dry	Strep. ag	72 (post calving)	14	NA	NA